When PmWiki is called with '?action=diff', it displays a summary of past edits on a page. Each past edit is shown in a box which

Below each box is a "Restore" link. Clicking the link will open an edit box with the page as it was before that edit. You can make

There are two additional options specific to PageHistory:

- Hide minor edits hides any edit that the author marked as 'minor'. This is done by adding "&minor=n" to "?action=diff".
- Show changes to output It shows changes to the rendered output (as opposed to the normal display which shows change)
 You can set both by using "?action=diff&source=y&minor=y".
- In the default mode "Show changes to markup", you can disable word-level highlighting of differences by adding to config.php su

\$EnableDiffInline = 0;

A page's history is kept for the number of days given by the <u>\$DiffKeepDays</u> and <u>\$DiffKeepNum</u> variables (set by the site's wi

Note that a specific page revision isn't removed from the page until the first edit after the time specified by SDiffKeepDays has

See also

- <u>Cookbook:ExpireDiff</u>
- <u>Cookbook:LimitDiffsPerPage</u>
- Cookbook:ViewDiff
- <u>Cookbook:TrackChanges</u>

Is there a way to remove page history from page files?

1. Administrators can clean page histories using the <u>Cookbook:ExpireDiff</u> recipe.

2. Administrators with FTP file access can download individual pages from the wiki.d directory, open them in a text editor, manual

3. Edit the page. Select all the contents of the edit text area and cut them to the clipboard. Enter delete into the text area and c

How can I restrict viewing the page history (?action=diff) to people with edit permission?

In the *local/config.php* file, set

\$HandleAuth['diff'] = 'edit';

In case of this restriction is set up on a farm, and you want to allow it on a particular wiki, set in your local/config.php :

```
$HandleAuth['diff'] = 'read';
```

Copyright: Petko - 21/02/2010